Countertop Hardware | V400c Verifone



# V400c

#### The V400c is our most powerful and advanced countertop device.

As part of Verifone's Engage portfolio, it combines the latest in features, functionality, and performance into an efficient, high-end solution. Whether merchants are looking to accept basic payments or focus on more advanced capabilities, like loyalty, advertising, and other value-added services, the V400c makes it possible.

A large color touchscreen supports signature capture and encourages easy, intuitive customer interaction. Plus, the ability to run third-party apps allows the V400c to be customized to meet a variety of merchant and customer needs. The V400c also joins Verifone's industry-leading selection of devices that meet PCI 5.X requirements. And with end-to-end encryption and tokenization, merchants can worry about something other than device security.

- Supports Verifone's estate management solution for remote device management, value-added services, updates and diagnostics
- Accepts all payment types: NFC/CTLS, mobile wallets, EMV and magstripe
- Supports a variety of third-party apps through Verifone's Merchant Marketplace
- Optional features, such as dual-band WiFi and Bluetooth 4.2 BLE

## Specifications

## Processor

600 MHz, Arm Cortex-A9 32-bit RISC

## Memory

384 MB (256 MB Flash, 128 MB SDRAM)

## Display

3.5" (320 × 480) HVGA capacitive color touchscreen; oleophobic, smudge-resistant coating

### Operating System

Linux, with Verifone security enhancements

#### Connectivity

Dial-up, Ethernet

## Printer

30 lps, 40 mm paper roll

#### Card Readers

Triple track MSR: ISO 7810, 7811, 7813; smart card reader, 2 SAM slots

#### Contactless

ISO 14443 Types A and B, ISO 18092- capable, MIFARE, supports major NFC/ CTLS schemes

#### Peripheral Ports

2 USB connectors: 1 host, 1 host/client; 1 powered RS-232

#### Keypad

10 + 5 buttons, backlit, optional privacy shield

#### Audio

Multi-tone buzzer

#### Security

PCI PTS 5.X-approved; capable of supporting AES DUKPT

#### Power

AC input 100-240 VAC, 50/60 Hz; DC output 11.6 V 1.55 A

#### Environmental

Operating temperature:  $0^{\circ}$  to  $50^{\circ}$  C ( $32^{\circ}$  to  $122^{\circ}$  F); storage temperature:  $-20^{\circ}$  to  $60^{\circ}$  C ( $-4^{\circ}$  to  $140^{\circ}$  F); relative humidity: 5% to 90%, non-condensing

#### Physical

190 mm L × 80 mm W × 70 mm H; 381 g

#### V400c Plus

Memory: 1024 MB (512 MB Flash, 512 MB SDRAM), microSD Connectivity: 5 GHz + 2.4 GHz WiFi, Bluetooth 4.2 BLE

Audio: Speaker